

DOCKET NO.: B0192.70019US00

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

bplicant(s):

Christine Van Broeckhoven et al.

Serial No.:

09/581,500

Confirmation No.:

9967

Filed:

November 14, 2000

For:

MOOD DISORDER GENE

Examiner:

Diana B. Johannsen

Art Unit:

1634

## **CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)**

The undersigned hereby certifies that this document is being placed in the United States mail with first-class postage attached, addressed to MAIL STOP RCE, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the 18<sup>th</sup> day of October, 2004.

Melissa L. Barlow Lyons

## MAIL STOP RCE

Commissioner For Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Transmitted herewith are the following documents:

- **Amendment After Final Office Action**
- Information Disclosure Statement and PTO Form 1449 with cited references
- Copy of International Search Report dated August 30, 1999
- **Request for Continued Examination**
- Declaration (executed by all inventors)
- **Petition for 2 Month Extension of Time**
- Copy of CEPH webpage; Copy of MRC geneservice webpage; Copy of Broad Institute webpage; Copy of Freimer et al. Reference (also in 1449); Copy of Coon et al. Reference (also in 1449)
- **Return Receipt Postcard**

If the enclosed papers are considered incomplete, the Mail Room and/or the Application Branch is respectfully requested to contact the undersigned at (617) 646-8000, Boston, Massachusetts.

A check in the amount of \$1220.00 is enclosed to cover the Request for Continued Examination fee and the two month extension of time fee. If the fee is insufficient, the balance may be charged to Deposit Account 23/2825. A duplicate of this sheet is enclosed.

Respectfully submitted,

Christine Van Broeckhoven et al., Applicant

R. Van Amsterdam, Ph.D., Reg. No.: 40,212

Wolf, Greenfield & Sacks, P.C.

600 Atlantic Avenue

Boston, Massachusetts 02210-2206

Telephone: (617) 646-8000

By:

Docket No.: B0192,70019US00 Date: October 18, 2004

x10/18/04x